

CEPRO PVC COATED INDUSTRIAL CURTAIN

COMPOSITION

Carbon steel parts, powder coated.
 Contain no toxic parts.
 Contain no inflammable parts.
 Contain no electrical parts.

USE AND HANDLING

Coating will be damaged by open fire or intensive heat.

MAINTENANCE AND SAFETY

- The assembly plate is provided with holes Ø12 mm for mounting to a solid wall of column which can withstand larger forces.
- It is absolutely important that bolts periodically must be checked at free assembly.
- Turning axis's must be greased for optimal function. Interval depends of intension of use.
- Weld seams must be visual periodic inspected on cracks.
- Arm may not be overload the maximum indicated weight.
- Arm is only suitable for use of strip, curtain or blanket separation. It is not recommended for hoisting operations.

COMBINATION SWIVEL ARM AND COLUMNS / POLES

Orders for swivel arms (for strips or curtains) which will be fixed onto one of the CEPRO columns or poles, will only be delivered in the combinations as mentioned below

	Curtain			Strips 300 x 2 mm			Strips 300 x 3 mm		
	Heigth under beam			Heigth under beam			Heigth under beam		
	2,80 mtr	3,30 mtr	3,80 mtr	2,80 mtr	3,30 mtr	3,80 mtr	2,80 mtr	3,30 mtr	3,80 mtr
82.10.25.0200 swivel arm length 200cm	83.10.02.0300 80x80x3mm H=3,00 mtr	83.10.02.0350 80x80x3mm H=3,50 mtr	83.10.02.0400 80x80x3mm H=4,00 mtr	83.10.02.0300 80x80x3mm H=3,00 mtr	83.10.02.0350 80x80x3mm H=3,50 mtr	83.20.01.0400 100x100x4mm H=4,00 mtr	83.20.01.0300 100x100x4mm H=3,00 mtr	83.20.01.0350 100x100x4mm H=3,50 mtr	83.20.02.0400 120x120x5mm H=4,00 mtr
82.10.25.0300 swivel arm length 300cm	83.10.02.0300 80x80x3mm H=3,00 mtr	83.10.02.0350 80x80x3mm H=3,50 mtr	83.10.02.0400 80x80x3mm H=4,00 mtr	83.20.01.0300 100x100x4mm H=3,00 mtr	83.20.02.0350 120x120x5mm H=3,50 mtr	83.20.02.0400 120x120x5mm H=4,00 mtr	83.20.02.0300 120x120x5mm H=3,00 mtr	83.20.02.0350 120x120x5mm H=3,50 mtr	83.20.02.0400 120x120x5mm H=4,00 mtr
82.10.25.0400 swivel arm length 400cm	83.20.01.0300 100x100x4mm H=3,00 mtr	83.20.01.0350 100x100x4mm H=3,50 mtr	83.10.01.0400 100x100x4mm H=4,00 mtr	83.20.02.0300 120x120x5mm H=3,00 mtr	83.20.02.0350 120x120x5mm H=3,50 mtr	83.20.02.0400 120x120x5mm H=4,00 mtr	on request	on request	on request


CEPRO PVC COATED INDUSTRIAL CURTAIN



200cm version	82.10.25.2000
250cm version	82.10.25.2500
300cm version	82.10.25.3000
350cm version	82.10.25.3500
400cm version	82.10.25.4000


CEPRO PVC COATED INDUSTRIAL CURTAIN

DIMENSIONS



CEPRO PVC COATED INDUSTRIAL CURTAIN

MOUNTING



CEPRO_PFS_Swivel_arms_teslscopic_swivel_arms_2EN_reVersion 001 - Check our website for the latest version.